
GB-083 Garden harvest crate

01 / OVERALL GEOMETRY | G1 | INCHES | NOT TO SCALE


TOP / X-Y DATUM



FRONT / X-Z



SIDE / Y-Z



READ THE DIMENSIONS, NOT THE DISPLAY SCALE

Views are original wireframe projections. Hidden edges may remain visible; schematic lines are not cutting paths. Stock is actual-size reference geometry, not a nominal lumber label.

No load capacity, field performance or code compliance is established by these drawings. Read the project-specific limits in the guide.

SPECIFICATION

Revision: G1

Model units: inches

Drawing scale: not to scale

Publication: released 2026-10-11

GB-083 Garden harvest crate

02 / PARTS AND CRITICAL DETAILS | G1 | INCHES | NOT TO SCALE

PART / CUT SCHEDULE

PART	QTY	FINISHED SIZE (IN)	STOCK / MATERIAL
E	2	12 x 5.5 x 0.75	1x6
S	4	16.5 x 2.5 x 0.75	1x3
B	4	18 x 2.5 x 0.75	1x3


FASTENER / HARDWARE SCHEDULE

F1 | Qty 24 | #8 x 1-1/2 Type 316 stainless flat-head wood screw; 16 body + 8 floor


FIT AND CONNECTION NOTES

1. End boards run through; 16.5-inch side rails fit between them.
2. End-face screw lines: 0.375 from side edges; heights 0.75, 1.75, 3.75, 4.75.
3. Four floor slats start at y = 0.25, 3.25, 6.25, 9.25.
4. Handle holes: diameter 1, centers 4.5 and 7.5 along width, 3.75 above end bottom.
5. Grip opening 4 x 1; upper wood web 1.25. No carrying rating.

END BOARD / LOCAL HANDLE DATUM



BODY OUTLINE + FLOOR / EIGHT CONNECTIONS




Green dots are screw or center locations, not head-size or strength claims. Consult the exact part datum and pilot instructions in the guide.

GB-083 Garden harvest crate


03 / ASSEMBLY STUDIES AND INSPECTION | G1 | INCHES | NOT TO SCALE

01




Cut and smooth both hand-slot ends

02



Join the four side rails between ends

03



Fit four spaced floor boards

ORIGINAL SCHEMATIC ASSEMBLY VIEWS - NOT REAL-WORK PHOTOGRAPHS

These studies explain part relationships only. They omit clamps, operators and some fasteners; a floating intermediate assembly is not an instruction to work without support. Use the numbered guide steps for safe workholding, pilots, assembly order and stop conditions.

BEFORE THE NEXT STEP

End boards run through; 16.5-inch side rails fit between them. End-face screw lines: 0.375 from side edges; heights 0.75, 1.75, 3.75, 4.75. Four floor slats start at y = 0.25, 3.25, 6.25, 9.25. Handle holes: diameter 1, centers 4.5 and 7.5 along width, 3.75 above end bottom. Grip opening 4 x 1; upper wood web 1.25. No carrying rating. Inspect the first actual joint or cut before repeating it. Recheck the drawings before cutting if you change any dimension.

Released without a prototype build: no physical trial, load test or supplier price check has been made.